


Index for Pages 390-406



C.J. Anderson	390
Courion	391
EECO	392
ESCO	393
ELSCO	394, 395
FUJITEC	396
Gorman	397, 398
Hollister-Whitney	398
Leroy Somers	398
Magnatek	399
Maxton	400
O Thompson	401
Payne	402
Peele	403
Reliance	404
Texacone	405
U.S. Elevator	406

C.J. Anderson



CJA11



CJA11C



CJA2



CJA3



CJA4



CJA5

CONTACTS AND CONTACT HOLDERS	
CJ-100-A1	CARBON CONTACT
CJ-100-A8	CONTACT
CJ-100-B	COPPER CONTACT 1/2"
CJ-100-C	1-1/4"DIA COPPER CONTACT
CJ-100-C1	CONTACT
CJ-100-F	CARBON CONTACT - 1/2
CJ-100-J	AUX.CONTACT - 1/2
CJ-100-T	CONTACT #44127
CJ-902-C6	CONT HLDR BLOCK&SPRING
CJA11	COPPER ANGLE, #34626
CJA11C	CARBON, 1-1/4 X 1 IN (#34630)
CJA2	COPPER CONTACT, (#42143)
CJA3	COPPER CONTACT, (#34241)
CJA4	COPPER CONTACT, (#11426)
CJA5	COPPER CONTACT, (#11243)

SHUNTS & CONNECTORS	
CJA18	CONNECTOR, 7-3/4" LG
CJA19	CONNECTOR, 4-1/2" LG.
CJA20	CONNECTOR, 2-3/8" LG
CJA21	CONNECTOR, 3-1/8" LG
CJ-300-B	SHUNT LEAD 11-1/2"

INTERLOCKS, SWITCHES & MISC.	
A480L34	LAMP, MIN. BAY. 14.0V (ord mult 10)
CJ-1067-D	LAMP, S6 CAND/SCR. 230V (1056/13) (ord mult 10)
CJ-902-A	INTERLOCK LH
CJ-902-B	GATE SWITCH-STYLE GB
CJ-902-C	FLOOR SWITCH F-3
CJ-902-E	INTERLOCK HG1 250V.RH
CJ-902-M	ROLLER ARM (HG1-1)
CJ-925-A	LIMIT SWITCH C-8 STANDARD
CJ-925-C	GATE CONTACT ASSY.
CJ-925-D	MOVABLE CONTACT ARM ASSM
CJ-925-E	ROLLER
CJ-925-L	STOP SWITCH
CJ-925-T	LIMIT SW. W/LH ROLLER
CJ-932-B	SWITCH, LIGHT
CJ-932-C1	2 POS KS,KEY 2126 REM OFF ON
CJ-932-C2	KEY
CJ-932-CB	HN CONNECTION BLOCK ASY
CJ-932-I	KEY FOR LIGHT SWITCH
CJ-932-J	KEY FOR INSPECT
CJ-932-K	ELEMENT HHR PB SW.
CJ-932-ST	STOP SW W/SQUARE PB
CJ-933-A7	PUSHBUTTON - MARKED U
CJ-933-A8	PUSHBUTTON - MARKED D
CJ-933-B	PUSHBUTTON, ALARM
CJ-933-B1	PUSHBUTTON CAP,CAR COMING
CJ-933-C	PUSHBUTTON MARKED - DO
CJ-933-H	PUSHBUTTON "4" (#715-012)
CJ-933-I	PUSHBUTTON "5" (715-012)
CJ-933-W	PB--ARROW ROUND
CJ-936-V	LENS ROUND MKD '1'
CJ-945-C	GATE LOCK - RH (#76702-LH)



CJA18



CJA19



CJA20




CJA21



CJ-932-C2

Courion

ELECTRICAL PARTS	
SF-1172-G	COURION, TIME DELAY RELAY FO
SF-200-E	SOLENOID,110V
SF-966-A	COURION, TIME DELAY RELAY,
SF-100-B	COURION, MOVABLE CONTACT, GA
SF-100-D	CONTACT FINGER
SF-1172-H	COURION POWER CONTROL MODULE
SF-1172-N	POWER ASSEMBLY BOARD 01-601000
SF-860-C	DOOR MOTOR 32OZ.
SF-860-W	DOOR MOTOR
SF-860-X	GATE MOTOR 32OZ 230V 1.6AMPS
SF-902-C	COURION, STATIONARY CONTACT,
SF-902-C7	DOOR LIMIT SWITCH
SF-902-C8	'KL' GATE SWITCH
SF-925-D	ROTARY LIMIT SWITCH LH
SF-950-C	RECTIFIER
SF-964-A	CONTACT L.H.
SF-964-R	MOVABLE CONTACT



MECHANICAL PARTS	
SF-1066-G	CHAIN
SF-1066-L	CHAIN RODS
SF-1066-S	#41 CHAIN
SF-1575-A	PINION
SF-600-F	SPRING
SF-964-S	COMPRESSION SPRING
SF-964-T	SPRING CUP WASHER
SF-660-A	BUSHING
SF-890-A	BEARING
SF-915-B	BEARING
SF-964-F	BUSHING
SF-964-L	COUPLING
SF-964-W	RETAINER
SF-860-P	MOTOR CAM 12oz 220V 900RPM 9
SF-870-A	V-BELT
SF-900-A	SLIDE GUIDE SHOERH
SF-900-B	SLIDE GUIDE SHOELH
SF-900-E	SLIDE GUIDE SHOE LH
SF-900-F	SLIDE GUIDE SHOERH
SF-902-B2	ROD GUIDE BRACKET
SF-964-V	ROD GUIDE BRACKET
SF-902-B6	LATCH HANDLE
SF-902-C1	CONT KIT W/ROLLER
SF-902-J	PIN #A4-3552
SF-902-T	INTERLOCK ROLLER
SF-924-B	BUMPER,RUBBER
SF-925-B	BRASS NUT
SF-925-F	ROLLER
SF-964-A2	WEIGHT
SF-964-E	PIN
SF-964-J	BAKELITE SLEEVE
SF-964-N	BAKELITE SLEEVE
SF-964-U	BAKELITE SLEEVE
SF-1065-A	KEYF287

EECO



EQ-470-B



EQ-901-P2

COILS	
EE-200-C	COIL 110-120 VAC FOR UV7B XTRA LONG LEADS (S651L)
33-0470-003	COIL 120 VDC FOR UV7B (S752)
EQ-470-B	COIL 220V for UB7B (S733L)
EQ-470-N	208V COIL FOR UV5A VALVES
EQ-470-P	220VDC COIL

SOLENOID COMPONENTS	
EQ-901-N2	STEM
EQ-901-P2	DOWN PISTON GUIDE
EQ-901-R3	SOLENOID ORIFICE KIT
EQ-901-T7	SLEEVE CYLINDER
EQ-901-X7	PLUNGER NC SOLENOID
EQ-909-A	SOLENOID PLUNGER
EQ-909-X	PLUNGER ASSY



EQ-901-N2

MISC.	
EQ-901-A	INPUT ADJUSTER ASSY
EQ-901-Z4	COMPENSATOR ASSM. W/ UP ADJUSTOR
EQ-909-A7	INPUT ADJ ASSY.
EQ-909-H3	DOWN PISTON ASSM.
EQ-909-J3	NC NEEDLE ORIFICE ASSY.
EQ-909-M1	ADJUSTER ASSEMBLY
EQ-1294-M	O-RING KIT FOR UV5A VALVE (5131V)
196C148G01	SEAL KIT FOR UV-5A VALVE (5131B)
2843C81G01	SEAL KIT FOR UV-7W VALVE
EQ-600-A	SPRING
EQ-901-A6	SEAL DISC
EQ-901-M3	O RING
EQ-901-R9	VALVE 1 1/2" - UV5A
EQ-901-Z3	SCREW
EQ-901-Z9	NEEDLE ORIFICE
EQ-904-C	O RING
EQ-909-H2	1 1/2" BY PASS
EQ-922-D	PERMANENT MAGNET SWITCH
EQ-922-F	DOUBLE CONTACTS
EQ-925-A	LIMIT SWITCH W/ROLLER 1-NO/1-NC (LS-1)
EQ-940-A	INDUCTOR/LEVEL SWITCH
UE-932-F5	KEY PART # HA-1065-T5 (KEY # USE1)
UE-1065-A	KEY #12357 ACCESS INSPECT
UE-1065-C	KEY #12531 INDEPENDENT
UE-1065-E	KEY #12135 FIREMAN'S SERVICE
UE-1065-K	KEY #16313 UNIVERSAL



EQ-909-A7



EQ-901-R9



EQ-901-R3

ESCO



EE-1172-D



EE-1172-F



EE-1172-P



EE-180-C4



EE-932-E



EE-960-AC

TIMERS, SWITCHES, RELAYS & ELECTRICAL	
EE-1172-D	TIMER
EE-1172-F	TIMER KIT 120VAC
EE-1172-P	Timer, 2-100 seconds, 115VAC, 1 AMP (replacement for Freeman model 018, 030, 031 and Agastat SSC12ADA)
EE-960-R	TIMER 220VAC 2-267-038 (replacement for Freeman model 019 or Agastat SSC12BDA)
EE-180-B2	SWITCH N.O.
EE-180-B3	SWITCH N.C.
EE-180-C4	MICRO SWITCH
EE-932-E	SWITCH, STOP
EE-964-I	SWITCH 49L100103
EE-964-J	RH SWITCH 49L100102
EE-964-N	MOTOR STARTER SWITCH 49D5468
EE-960-AA	RELAY, PLUG-IN 120VAC 3PDT 10
EE-960-AC	RELAY 115VAC, AH5871
EE-960-E	RELAY 22665-71
EE-960-EE	SOCKET 3-349-001
EE-960-G	RELAY GUARDIAN 8 POINT
EE-960-W	RELAY 22665-70
EE-964-S	OVERLOAD RELAY
EE-965-B	RELAY, MOTOR START-PILO
EE-470-H	TANK HEATER (preset 110 deg)
EE-981-A	OVRLD HEATER H48
EE-950-E	RECTIFIER (PLUG IN)
EE-959-F	TRANSFORMER 3-368-024 Input 440/480/550V. Output 214V
EE-959-G	TRANSFORMER 3-368-002 Input 240/480V. Output 120V
EE-959-I	TRANSFORMER Input 208/220/240/260V. Output 125V



EE-901-BD



EE-959-G



EE-959-I

CAMS, WHEELS, BELTS & MECHANICAL	
EE-1295-A	CAM ASSY. 5" RED
EE-180-A8	CAM, INDEXING RH
EE-180-A9	CAM, INDEXING LH
EE-180-J	CAM 3"
EE-180-L	CAM SHAFT
EE-180-A5	ESCO STAR WHEEL
EE-180-C	WHEEL STEPPING
EE-949-B	SHEAVE
EE-870-B	V-BELT 3V400
EE-870-C	V BELTS
EE-870-D	BELT 3V450
EE-870-E	V BELT 3-053-14
EE-870-H	V-BELT SET(1SET=4BELTS)
EE-870-K	V-BELT SET - 3V600 (1PC = 6
EE-870-L	V DRIVE BELT / 1 BELT
EE-870-A	BELTS
EE-180-A2	SPRING 3-614-001
EE-180-C9	WHITE VANE ASSEMBLY
EE-180-E	STRIKER
EE-180-F	SPRING SELECTOR
EE-180-G	STRIKER, SINGLE ASSM (3-410-001)
EE-180-H	TAPE GUIDE ASSM (0013-016-031)
EE-180-M	FRICTION CATCH
EE-900-F	SWIVEL GUIDE SHOE
EE-948-B	GATE SHOE



EE-180-A5




EE-180-G



EE-180-H

ElSCO™ Roller Guides



Adams supplies genuine ELSCO roller guides and guide wheels.

A901 six-wheel guide is recommended for high-speed passenger and heavy-duty freight elevators. Includes adjustable stops.

A902 for moderate-speed and moderate-capacity elevators. Includes adjustable stops. Sold only in sets of 2.

The **A903** six-wheel model is a smaller version of the A901, designed for

many elevators and counterweights.

And you'll find our A904 to be ideal for low-speed/low-load elevators and moderate-speed counterweights. Sold only in sets of 2.

Wheels on all models are fitted with Neoprene tires. Increase the load capacity of A901 and A902 by replacing the Neoprene wheels with Adams' own SPx⁸⁰ Quiet Poly rollers, sold separately on the next page.

ROLLER GUIDE ORDERING INFORMATION

Adams part no.	No. of wheels	Wheel diameter	Cab Capacity			Speed		ELSCO part no.
			Passenger	Freight	Counterweight	Passenger/Freight	Counterweight	
A901	6	6"	8000 lbs.	12,000 lbs.**	N/A	1500 ft./min.	N/A	Model A
A902*	3	6"	4500 lbs.	6000 lbs.**	8000 lbs.	700 ft./min.	1400 ft./min.	Model B
A903	6	3 1/4"	2500 lbs.	N/A	8000 lbs.	400 ft./min.	800 ft./min.	Model C
A904*	3	3 1/4"	2000 lbs.	2000 lbs.	4000 lbs.	250 ft./min.	800 ft./min.	Model D

*Sold only in sets of 2.

**When modified with Adams SPx⁸⁰™ Quiet Poly rollers.

Elsco™ Roller Guide Wheels



Adams replacements for ELSCO roller guide wheels are meticulously machined, then concentrically ground to within 0.002" total indicator run-out.

The two precision ball bearings in each wheel are fully sealed, and protected by neoprene and metal shields. You won't find a better-made replacement roller for ELSCO roller guide assemblies.

Looking for the quiet ride of rubber and the durability of polyurethane? Consider our exclusive SPx⁸⁰™ Quiet Poly Durabond™ tires. You get the quiet ride of rubber PLUS:

- Longer life than rubber
- Greater resistance to ozone and petroleum products that invade the hoistway

Choose from quiet-running SPx⁸⁰ Quiet Poly or HDx⁹⁵™ Heavy-Duty Durabond.

For high-speed elevators, order part nos. A905S, A905WS, and A906S Quiet Poly rollers.

For high-capacity elevators, your best choice is HDx⁹⁵ Heavy Duty: A905P face roller, A905W side roller, and A906P.

Tires are bevelled to give smooth-running roller surfaces around the entire roller circumference.

Accept no substitutes! These replacement roller guide wheels are designed to be used exclusively with the ELSCO roller guide assemblies shown on the facing page.

REPLACEMENT ROLLER GUIDE WHEEL ORDERING INFORMATION							
Adams part no.	Diameter	Width	Face	Bore	Tire material	For use on	ELSCO part no.
A905S	6"	1 1/4"	1/2"	0.7874"	SPx ⁸⁰ Quiet Poly	Model A high-speed roller guide and Model B roller guide	18359
A905P	6"	1 1/4"	1/2"	0.7874"	HDx ⁹⁵ Heavy-Duty		XELA-48
A905W	6"	1 1/4"	7/8"	0.7874"	HDx ⁹⁵ Heavy-Duty		—
A905WS	6"	1 1/4"	7/8"	0.7874"	SPx ⁸⁰ Quiet Poly		—
A906S	3 1/4"	3/4"	1/2"	0.4724"	SPx ⁸⁰ Quiet Poly	Models C & D roller guides	18405
A906P	3 1/4"	3/4"	1/2"	0.4724"	HDx ⁹⁵ Heavy-Duty		XELC-41

ROLLER GUIDE COMPONENTS	
EC-600-A	SPRING
EC-600-B	SPRING
EC-600-C	HUB SPRING
EC-900-A	GUIDE ROLLER, 10" ELSCO EX02002
EC-900-A3	ADJ. STOP KIT (set of 4) FOR MODEL C
EC-900-C3	ROLLER GUIDE COVERPLATE KIT (MODEL B)
EC-900-C4	ROLLER GUIDE COVERPLATE KIT (MODEL C)
EC-900-C6	ROLLER GUIDE COVERPLATE KIT (MODEL D)
EC-900-G	ADJ. STOP ANGLE (set of 12pcs. (MODEL B)
EC-900-H1	10" ROLLER GUIDE ASSM. (EACH)
EC-900-K	WHEEL STUD
EC-900-X	ROLLER

COLOR KEY FOR ADAMS POLY
Red = LF ⁸⁰ Low Friction
Black = SP ⁸⁰ Soft
Clear = HD ⁹⁵ Heavy Duty

Durabond, HDx⁹⁵, SPx⁸⁰—Reg. TM Adams Elevator Equipment Company

Fujitec

RELAYS	
FE-1097-B	RELAY 100 VAC 50 HZ (HH23PW)
FE-1097-C	RELAY 48 VDC (HH23PW)
FE-1097-D	RELAY 100 VAC (HH54PW)
FE-1097-E	RELAY 24 VDC (HH23PW)
FE-1097-J	RELAY, 120VAC SCRA50-3F 5 N/O 3 N/C
FE-1097-K	RELAY 24 VDC (HH54PW)
FE-1097-L	RELAY 6 VDC (HH54PW)
FE-1097-N	RELAY 100 VDC (HH54PW)
FE-1097-P	RELAY 100 VDC (HH23PW)
FE-1097-W	RELAY 110 VAC SCRA50-3F 4 N/O 4 N/C
FE-1097-X	RELAY 110 VAC SCRA50-3F 6 N/O 2 N/C
FE-1172-A	TIMER RELAY 110 VAC
FE-981-B	OVERLOAD RELAY
FE-964-A	CONTACTOR FUJI TYPE SC45
FE-964-C	CONTACTOR KIT 120VAC KM COIL



FE-1097-K




FE-929-A2

MISC. MECHANICAL	
D00407001	BUSHING, FUJITEC
FE-902-G2	LOCK CATCH ROLLER
FE-904-A	OIL SEAL MG609014
FE-917-A	SAFE EDGE ARM BOLT
FE-929-A2	ECCENTRIC ROLLER
FE-931-C3	CLOSER PULLEY
FE-948-A1	DOOR GUIDE SHOE


PRINTED CIRCUIT BOARDS	
FE-1600-A2	IM4 INPUT MATRIX PCB
FE-1600-B5	MOTHER BOARD MB26-C3
FE-1600-C	SPEED CNTRL PCB C2-SI13
FE-1600-E	INPUT PCB IP5B
FE-1600-F	DETECTOR PCB C1-CD7
FE-1600-H	PATT GEN PCB C1-PG11
FE-1600-J	SPEED REG PCB C1-SR15
FE-1600-K	PHASE SHIFTR PCB C1-PS9
FE-1600-L	DRIV GATE FILTR C1-GF13
FE-1600-M	BRAK GATE FILTR C1-GF14
FE-1600-R	IF26D AC OUTPUT PCB

SWITCHES, MOTORS & MISC. ELECTRICAL	
FE-2200-C	CAR PB SWITCH ASSM
FE-945-A1	INTERLOCK CONTACT DLS-1
FE-945-C	INTERLOCK CONTACT ARM
FE-902-A6	DOOR LOCK CONTAC DLS-16
FE-860-A	DOOR MOTOR Y840BV5
FE-1018-A	DOOR MOTOR BRUSH
FE-1099-A	20 OHM RESISTOR
FE-1099-C	10 OHM RESISTOR
FE-1099-F	20W 1.8K RESISTOR
FE-950-J	RC NETWORK 125 V (XAB1202)
FE-950-K	RC NETWORK 125 V (XAB1201)
FE-950-M	CAPACITOR ES350L200M
FE-950-P	CAPACITOR OIL FILLED
FE-950-T	POWER SUPPLY 24V
FE-950-U	POWER SUPPLY
FE-950-V	BRIDGE RECTIFIER
FE-959-E	RAPID FUSE 75AMP BLC075-1
FE-959-G	FUSE 90A 550V ACL100
FE-959-H	3 AMP FUSE/SLO-BLO
FE-959-K	10 AMP FUSE/SLO-BLO
FE-959-L	BLC-120 AMP FUSE
FE-959-M	15AMP BREAKER
FE-959-P	FUSE HOLDER
FE-950-A2	180 AMP THYRISTOR
FE-950-H	CIRCUIT BREAKER 5AMP



FE-1600-L

Gorman



AMCO/WHITE EVANS				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB03500B6	3 1/2"	4.510"	3.505"	0.750"
GB04000B6	4"	5.000"	4.025"	0.750"
GB04375B6	4 3/8"	5.378"	4.400"	0.750"
GB04500B6	4 1/2"	5.503"	4.525"	0.750"
GB05000B6	5"	6.003"	5.025"	0.750"
GB05375B6	5 3/8"	6.375"	5.400"	0.750"
GB05437B6	5 7/16"	6.437"	5.463"	0.750"
GB05500B6	5 1/2"	6.503"	5.525"	0.750"
GB06000B6	6"	7.003"	6.025"	0.750"
GB06500B6	6 1/2"	7.503"	6.525"	0.750"
GB07500B6	7 1/2"	8.503"	7.525"	1.000"
GB08500B6	8 1/2"	9.503"	8.525"	1.000"
GB09500B6	9 1/2"	10.503"	9.525"	1.000"
GB10625B6	10 5/8"	11.625"	10.655"	1.000"
GB12625B6	12 5/8"	13.630"	12.645"	1.000"

Shaft and bore diameters are accurate to ±0.005".
NOTE: B6-series bearing rings are made to fit only AMCO/White Evans pistons.

ESCO P-6				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB04000B5	4"	4.375"	4.020"	0.0875"
GB04500B5	4 1/2"	4.875"	4.520"	0.0875"
GB05000B5	5"	5.375"	5.020"	0.0875"
GB05500B5	5 1/2"	5.875"	5.520"	0.0875"
GB06000B5	6"	6.375"	6.020"	0.0875"
GB06500B5	6 1/2"	6.875"	6.520"	0.0875"
GB07000B5	7"	7.375"	7.020"	0.0875"

Shaft and Bore diameters are accurate to ±0.005", Thickness to ±0.015".
NOTE: B5-series bearing rings are made to fit only ESCO P-6 pistons.

CEMCO				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB03500B8	3 1/2"	4.470"	3.500"	0.875"
GB03750B8	3 3/8"	4.725"	3.775"	0.875"
GB04000B8	4"	4.975"	4.000"	0.875"
GB04375B8	4 3/8"	5.357"	4.400"	0.875"
GB04437B8	4 7/16"	5.431"	4.462"	0.875"
GB04500B8	4 1/2"	5.470"	4.500"	0.875"
GB05000B8	5"	5.975"	5.000"	0.875"
GB05437B8	5 7/16"	6.422"	5.462"	0.875"
GB05500B8	5 1/2"	6.469"	5.504"	0.875"
GB06000B8	6"	6.975"	6.000"	0.875"
GB06500B8	6 1/2"	7.457"	6.508"	0.875"
GB07000B8	7"	7.959"	7.000"	0.875"
GB07500B8	7 1/2"	8.475"	7.505"	0.875"
GB08000B8	8"	8.957"	8.000"	0.875"
GB08500B8	8 1/2"	9.475"	8.505"	0.875"
GB09000B8	9"	9.975"	8.990"	0.875"
GB09500B8	9 1/2"	10.475"	9.500"	0.875"
GB10000B8	10"	10.975"	10.000"	0.875"
GB10500B8	10 1/2"	11.470"	10.500"	0.875"
GB10625B8	10 5/8"	11.620"	10.655"	0.875"
GB12500B8	12 1/2"	13.495"	12.530"	0.875"
GB12625B8	12 5/8"	13.620"	12.655"	0.875"

Shaft and Bore diameters are accurate to within ±0.005"; Thick to ±0.015".
NOTE: B8-series bearing rings are made to fit only CEMCO pistons.

BORE-MAX				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB04375B25	4 3/8"	5.362"	4.392"	0.750"
GB05000B25	5"	5.987"	5.017"	0.750"


Shaft and Bore diameters are accurate to ±0.003"; Thick to ±0.015".
NOTE: B25-series bearing rings are made to fit only Bore-Max pistons.

GENERAL G-HEAD				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB03500B21	3 1/2"	4.480"	3.530"	1.062"
GB04000B21	4"	4.985"	4.030"	1.062"
GB04437B21	4 7/16"	5.428"	4.460"	1.062"
GB04500B21	4 1/2"	5.482"	5.562"	1.062"
GB05000B21	5"	5.985"	5.030"	1.062"
GB05437B21	5 7/16"	6.418"	5.460"	1.062"
GB05500B21	5 1/2"	6.485"	5.562"	1.062"
GB06437B21	6 7/16"	7.418"	6.460"	1.062"
GB06500B21	6 1/2"	7.480"	6.526"	1.062"
GB07500B21	7 1/2"	8.480"	7.523"	1.062"

Shaft and Bore diameters are accurate to ±0.005", Thickness to ±0.015".
NOTE: B21-series bearing rings are made to fit only General G-Head pistons.

Gorman

Seal Sizing Chart



OTIS/CAST IRON					
Adams part no.	Piston diameter	Otis diameter	Dimensions		
			Shaft Dia.	Bore Dia	Thick
GB03875B1	3 ⁷ / ₈ "	4"	4.868"	3.905"	1.125"
GB04375B1	4 ³ / ₈ "	4 ¹ / ₂ "	5.368"	4.405"	1.125"
GB05437B1	5 ⁷ / ₁₆ "	5 ¹ / ₂ "	6.430"	5.467"	1.125"
GB06500B1	6 ¹ / ₂ "	6 ¹ / ₂ "	7.492"	6.532"	1.000"
GB07500B1	7 ¹ / ₂ "	7 ¹ / ₂ "	8.492"	7.532"	1.000"
GB08500B1	8 ¹ / ₂ "	8 ¹ / ₂ "	9.742"	8.532"	1.250"
GB09500B1	9 ¹ / ₂ "	9 ¹ / ₂ "	10.742"	9.532"	1.000"
GB10625B1	10 ⁵ / ₈ "	10 ¹ / ₂ "	11.866"	10.657"	1.000"
GB12625B1	12 ⁵ / ₈ "	12 ¹ / ₂ "	13.863"	12.659"	1.000"

Shaft and Bore diameters are accurate to ±0.005", Thickness to ±0.015".
NOTE: B1-series bearings are made to fit only Otis/Cast Iron pistons.

OTIS/WELDED HEAD					
Adams part no.	Piston diameter	Otis diameter	Dimensions		
			Shaft Dia.	Bore Dia	Thick
GB02750B4	2 ³ / ₄ "	3"	2.780"	3.720"	0.750"
GB03875B4	3 ⁷ / ₈ "	4"	4.863"	3.905"	0.750"
GB04375B4	4 ³ / ₈ "	4 ¹ / ₂ "	5.360"	4.403"	0.750"
GB04875B4	4 ⁷ / ₈ "	5"	5.859"	4.905"	0.750"
GB05437B4	5 ⁷ / ₁₆ "	5 ¹ / ₂ "	6.420"	5.470"	0.750"
GB06500B4	6 ¹ / ₂ "	6 ¹ / ₂ "	7.481"	6.530"	0.750"

Shaft and Bore diameters are accurate to ±0.005", Thickness to ±0.015".
NOTE: B4-series bearings are made to fit only Otis/Welded Head pistons.

SOUTHEASTERN				
Adams part no.	Piston diameter	Dimensions		
		Shaft Dia.	Bore Dia	Thick
GB04375B7	4 ³ / ₈ "	5.370"	4.400"	0.687"
GB05000B7	5"	5.995"	5.025"	0.687"
GB05500B7	5 ¹ / ₂ "	6.495"	5.525"	0.687"
GB06500B7	6 ¹ / ₂ "	7.495"	6.525"	0.687"
GB06562B7	6 ²¹ / ₃₂ "	7.557"	6.587"	0.687"


Shaft and Bore diameters are accurate to ±0.005", Thickness to ±0.015".
NOTE: B7-series bearing rings are made to fit only Southeastern pistons.

Hollister-Whitney

HOLLISTER-WHITNEY	
HW102-011	URETHAN PAD-DISC BRAKE (DAMPING PAD)
HW-572-A	CTW. ROLLER 3"(SIDE)
HW-572-C	CTW. ROLLER 3"(FACE)
HW-572-E	CAR GUIDE ROLLER 6"FACE
HW-572-F	CAR GUIDE ROLLER 6"SIDE
HW90-11	URETHAN PAD-DRUM BRAKE (DAMPING PAD)
HW90-40SCH	BRAKE SWITCH - HOLLISTER WHITNEY 74



Leroy Somers



LEROY SOMERS	
LS-1018-A	CARBON BRUSH, 35-477813-664-9-01, REF.
LS-1018-A1	BRUSH, 61043015, GRADE N5000, .492 X1.26
LS-1018-A4	BRUSH, 30-491213-200-3-01
LS-1018-A6	BRUSH, 30-491212-200-3-01, GRADE E44C,
LS-1018-C	CARBON BRUSH, 35-471212-104-1-01
LS-1018-D	CARBON BRUSH, 35-317812-104-1-01,
LS-1018-E	BRUSH, (LS) HELWIG # 35-477813-264-901
LS-1018-L	CARBON BRUSH, 35-477812-104-1-01
LS-1018-M	BRUSH, 30-491213-200-1-01, STYLE Q1
LS-1018-R	CARBON BRUSH, 35-317813-664-9-01,
LS-1018-T	CARBON BRUSH, 35-471212-664-9-01,
LS-1018-W	BRUSH 2.101.426 GRADE EG34D
LS-1200-E	FAN FOR 25KW MG LEROY SOMERS

Magnatek

PRINTED CIRCUIT BOARDS

MAG-46S02489-0010	GATE FIRING PCB
MAG-46S02489-1011	GATE FIRING PCB 2 CHL(MAGNETEK 300HP DRV
MAG-46S02975-0403	MAG MAIN PCB
MAG-46S02976-0010	ARMATURE INTERFACE PCB 25 & 50 A
MAG-46S02976-0020	ARMATURE INTERFACE PCB 100A
MAG-46S02976-0030	MAG AMRMTURE INTERF (DSD412,190A)MAG-2
MAG-46S02976-0032	MAGNETEK BOARD
MAG-46S03017-0010	MAG PC BRD SNUBBER (DSD412-190A)MAG-4
MAG-46S03020-0030	SNUBBER PCB 100A
MAG-46S03046-0010	MAG PC BRD FIELD INTERF 1.9A (MAG-5)
MAG-46S03046-0030	MAG PC BRD FIELD INTERF 6.9A (MAG-6)
MAG-46S03046-0050	MAG PC BRD FIELD INTERF 16A (MAG-7)
MAG-46S03046-0060	MAG PC BRD FIELD INTERF 24A (MAG-8)
MAG-46S03046-0070	MAG PC BRD FIELD INTERF 30A (MAG-9)
MAG-46S03046-0080	MAG PC BRD FIELD INTERF 48A (MAG-10)
MAG-46S03046-0500	PC BOARD FIELD INTERF 16A
MAG-46S03088-0010	MAG ARMATURE INTERFACE 300A MAG-13
MAG-46S03089-0010	SNUBBER PCB 300A
MAG-46S03192-0010	SNUBBER PCB/511 CONT AMP MODEL
MAG-46S03192-0020	SNUBBER PCB/681-1363 CONT. AMP MODEL
MAG-46S03192-1020	SNUBBER PCB MAGNETEK 300HP/DSD412 DRIVE
MAG-46S03373-0010	ARMATURE INTERFACE PCB
MAG-46S03375-0010	SHUNT INTERFACE PCB
MAG-46S03594-0010	PC BRD FIELD INTERF 1.9A




MAG-46S02489-1011



MAG-46S03192-1020



MAG-05P00607-0016



MAG-05P00630-0013



MAG-05P00050-0523



MAG-46S03214-0010



MAG-05P00017-0361



MAG-05P00017-0366

RELAYS AND CONTACTORS

MAG-05P00031-0156	CONTACTOR DC 110VAC (MAGNETEK 300HP DRV)
MAG-05P00036-0312	RELAY,110VAC (MAGNETEK 300HP DRIVE)
MAG-05P00607-0015	CONTACTOR DB 220VDC (MAGNETEK 300HP DRV)
MAG-05P00607-0016	PILOT CONTR,110VAC (MAGNETEK 300HP DRIVE)
MAG-05P00630-0013	RELAY,110VAC (MAGNETEK 300HP DRIVE)

DIODES AND RECTIFIERS

MAG-05P00050-0328	RECTIFIER,70A,1600V(MAGNETEK 300HP DRIVE
MAG-05P00050-0410	RECTIFIER Q1-Q6(DSD412 DRIVE 100A)
MAG-05P00050-0412	RECTIFIER Q1-Q6 (DSD412 DRIVE 190A)
MAG-05P00050-0442	DIODE BRIDGE Q7 (DSD412 DRIVE)
MAG-05P00050-0461	RECTIFIER (SCR) (MAGNETEK DRIVE)
MAG-05P00050-0523	DIODE BRIDGE Q7 (DSD412 DRIVE)
MAG-46S03214-0010	RECTIFIER Q1-Q12 (DSD412 DRIVE 300A)

FUSES

MAG-05P00017-0031	FUSE 40A 600V (MAGNETEK 300HP DRIVE)
MAG-05P00017-0073	FUSE 15A 250V (MAGNETEK 300HP DRIVE)
MAG-05P00017-0166	FUSE F1-F3 (DSD412 DRIVE 100A)
MAG-05P00017-0179	FUSE FWP 200A (DSD412 DRIVE 100A-F4)
MAG-05P00017-0214	FUSE FWP 700A 700V BUSSMANN (MAGNETEK)
MAG-05P00017-0234	FUSE F1-F3 (DSD412 DRIVE 300A)
MAG-05P00017-0235	FUSE F4 (DSD412 DRIVE 300A)
MAG-05P00017-0348	FUSE 5A 700V (MAGNETEK 300HP DRIVE)
MAG-05P00017-0361	FUSE 7.5A 600V (MAGNETEK 300HP DRIVE)
MAG-05P00017-0366	FUSE FWP 300A (DSD412 DRIVE 190A - F4)

POWER SUPPLIES & TRANSFORMERS

MAG-05P00090-0293	POWER SUPPLY A4 (MAG-1) (MAGNETEK DRIVE)
MAG-05P00217-0012	CURRENT TRANSF U1 (DSD412 DRIVE 190A)
MAG-05P00217-0013	CURRENT TRANSF U1 (DSD412 DRIVE 100A)
MAG-05P00217-0020	CURRENT TRANSF U1 (DSD412 DRIVE 300A)
MAG-05P00645-0018	CURRENT TRANSF U1 W/O KIT (DSD412 DRIVE)

MISC.

MAG-05P00015-0016	FILTER,AIR CAB. 10X10"(MAGNETEK 300HP DR
MAG-05P00015-0017	FILTER,AIR CAB. 10X20"(MAGNETEK 300HP DR
MAG-05P00016-0008	FAN B1 (DSD412 DRIVE 300A)
MAG-05P00016-0012	FAN B1 (DSD412 DRIVE 190A)
MAG-05P00016-0041	FAN, DRIVE (MAGNETEK 300HP DRIVE)
MAG-05P00016-0048	FAN B1 (DSD412 DRIVE 100A)
MAG-05P00217-0029	CURRENT XDUC 500A (MAGNETEK 300HP DRIVE)
MAG-05P00218-0023	THERMISTER RT1 (DSD412 DRIVE)
MAG-05P00632-0002	SENSOR,DC ADJUST. (MAGNETEK 300HP DRIVE)
MAG-46S03373-0611	ARM. INT. ASSY 600V(MAGNETEK 300HP DRIVE
MAG-46S03397-0010	FIELD ASSY (MAGNETEK 300 HP DRIVE)



MAG-05P00016-0012



MAG-05P00016-0041



MAG-05P00090-0293



MAG-05P00217-0012



MAG-05P00217-0029



MAG-05P00632-0002

Maxton

SEALS	
MAX291510	KIT VALVE SEAL MAX UC-1/1A/2/2A
MAX291540	KIT VALVE SEAL MAX UC3A/3AM/4/4M
MX-1294-A2	SEAL KIT UC1/1A/2/2A
MX-901-C8	SEAL RING 111
MX-901-R	SEAL RING 103
MX-901-Y4	SEAL KIT



MAX291510



MX-901-Y4



MX-1294-B



MX-1294-N



MX-1294-P

SERVICE KITS	
MX-1294-B	MAXTON SERVICE KIT
MX-1294-N	KIT,DOWN CONTROL BLK
MX-1294-P	VALVE PARTS KIT
MX-1294-R	SOLENOID KIT
MX-1294-T	SOLENOID SEAT KIT -UC4,4M&4MR,UC3A&M
MX-901-T9	UC4 LEV.ADJ. KIT

VALVES	
MX-901-C3	UC4 RH MAXTON VALVE 2" VICTAULIC 230VAC
MX-901-E	UC2A VALVE
MX-901-G	UC2 MAXTON VALVE 2" (230VAC)
MX-901-H	MAXTONVALVE 2-1/2" THREADED115VACW/COIL
MX-901-M7	MAXTON UC2A 2" VALVE(VICTALIC)(NO COILS)
MX-901-N7	UC1 MAXTON VALVE 2 1/2" 115V NO COIL
MX-901-P6	VALVE 2",UC4 115V AC
MX-901-P7	VALVE UC1 W/2" FLANGE
MX-901-P9	VALVE 2-1/2"
MX-901-T1	UC4M MAXTON VALVE 2"
MX-901-T1-BKN	2" VALVE
MX-901-X6	2" 110VDC VALVE
MX-901-Y2	MAXTON UC4L3-LH VALVE
MX-901-Y3	2" 120VDC UC4E VALVE
MX-901-Y5	MAXTON VALVE, UC-4-E2



MX-901-G



MX-200-D



MX-901-H4



MX-901-N3



MX-922-A


MISC.	
MX-901-C7	VALVE PART 100
MX-200-D	COIL, MAXTON 230VAC GREEN
MX-470-A	ISOLATING-COUPLING-2"
MX-901-D	SNAP RING 093 UC1 VALVE
MX-901-H4	SPRING 339
MX-901-L1	COIL SLEEVE
MX-901-M1	MAXTON FLANGE
MX-901-N3	BY-PASS ADJ. ASS'Y.
MX-901-X3	UC1 REGULATING ASSM.
MX-901-Z1	ADAPTOR 283660 MAXTON
MX-922-A	MAGNETIC SWITCH
MX-925-A	SWITCH,LIMIT RH

O Thompson

CONTACTS & HOLDERS	
OT1	COPPER CONTACT, 1-1/4" DIA
OT-100-A	CONTACT, COPPER (A09009)
OT-100-A7	CONTACT ARM (HM21)
OT-100-A9	CONTACT SPRING ASSY. (HK-2)
OT-100-B	CONTACT, W/ARM (SK-30F)
OT-100-C	CONTACT (EF6)
OT-100-D	CARBON AND HOLDER, 3/8" DIAMETER, 1.1" LONG
OT-100-E	CONTACT, COPPER (OT-2)
OT-100-F	CARBON & HOLDER (A21001), 3/8" DIAMETER, 1.5" LONG
OT-100-G	CONTACT BLADE (E5)
OT-100-H	CONTACT W/ARM (F30A)
OT-100	HOLDER (H32)
OT-100-P	CONTACT (K35)
OT12	COPPER CONTACT, 1-3/4" x 2-1/4" (H-28)
OT19	COPPER ANGLE CONTACT, 3/4" x 3/4" x 5/8" (F-37)
OT2	COPPER CONTACT, 1-3/4 DIA.
OT-942-A	CONTACT



PRINTED CIRCUIT BOARDS & MODULES	
OT-1172-D	LINK TIMER, 110V
OT-1600-A	RELAY CARD 1P8300
OT-1600-C5	POWER SUPPLY PRK 50U-1212
OT-1600-C7	I/O MODULE PANEL BD.
OT-1600-E	I/O CARD MCS-20TX USE: MOO1
OT-1600-E7	SWEO FIRING BOARD (0025-2)
OT-1600-H	REAR DOOR BOARD
OT-953-A1	I/O MODULE G4ODC5 60VDC
OT-953-A2	INPUT MODULE MIDC5-200
OT-953-A3	MODULE
OT-953-F	OUTPUT MODULE
OT-953-H	INPUT/OUTPUT MODULE
OT-953-J	DC OUTPUT MODULE (HA-1600-M1)
OT-953-L	INPUT MODULE IDCM-5 32V
OT-953-M	OUTPUT MODULE MOAC5 120V
OT-953-N	OUTPUT MODULE MODC5A
OT-953-R	MODULE MIDC5N
OT-953-Z	OUTPUT MODULE G4-OAC5A



RELAYS & COILS	
OT-200-B	COIL O'THOMPSON 143
OT-200-C	COIL O'THOMPSON 142
OT-200-D	COIL O'THOMPSON 136
OT-200-F	COIL O'THOMPSON 146
OT-200-H	COIL O'THOMPSON 241
OT-200-J	COIL O'THOMPSON 111
OT-200-M	COIL O'THOMPSON 233
OT-200-N	COIL O'THOMPSON 112
OT-200-P	COIL O'THOMPSON 239
OT-960-A6	RELAY 24VAC - 4 POLE
OT-960-J1	RELAY, ENCLOSED 110VDC 3POLE
OT-960-P	RELAY SOCKET
OT-960-S	RELAY 4POLE 24VDC
OT-960-T	RELAY 4 POLE 240 VAC




MISC.	
OT-1600-J4	ENCODER TACH 2500 PPR
OT-1600-L	POWER SUPPLY 1HD24-4.8
OT-300-E	SHUNT 6-3/4
OT-300-H	BRAID, 10-1/2
OT504	SHUNT ASSY., 4-7/8" LG. SPRING
OT-600-A	CONTACT SPRING E9
OT-600-C	COMPRESSION SPRING KIT, F/CO
OT-860-A	TACH GENERATOR
OT-950-C	TRANSFORMER
OT-950-E	TRANSFORMER 250VA
OT-950-F	TRANSFORMER
OT-952-A	ARC SUPPRESSOR
OT-952-C	K76 ARC SHIELDS
OT-960-C4	3 PHASE MONITOR
OT-960-G	HINGE PIN
OT-960-H	HINGE PIN



Payne

CONTACTS & HOLDERS

PA1	COPPER CONTACT 2-1/4" x 2-1/4" (P-1465)
PA3	COPPER CONTACT 1-3/8" x 1-5/8" (K-1786)
PA4	COPPER CONTACT 1" DIA. (K-2587)
PA6	CONTACT, CARBON 2" x 2" (K-810)
PA7	CONTACT, CARBON 1-1/2" x 1-1/2" (K-1399)
PA9	HOLDER, CARBON (FOR PA7) (P-1627-28)
PN-100-E	CONTACT, COPPER K2840
PN-130-C	CARBON CONTACT, 75-008775-00, 3/4" DIAMETER x 3/4" HEIGHT
PN-130-F	CONTACT, CARBON (CX32C8)
PN-140-B	CARBON CONTACT K1399
PN-942-A	SELECTOR CONTACT MOVABLE
PN-942-M	SELECTOR CONTACT STATIONARY



RELAYS, TIMERS & COILS

PN-1172-B	TIMER
PN-1172-C	TIMER
PN-200-A2	COIL V225
PN-200-A4	COIL N-133
PN-200-E	COIL C583 220VAC
PN-200-F	COIL C550
PN-200-R	COIL L573
PN-200-X	COIL C-115
PN-201-G	COIL PA106
PN-201-N	COIL
PN-960-A3	RELAY TIMER
PN-960-S	RELAY, M1642B, NO COIL
PN-960-S1	RELAY, M1642, NO COIL
PN-960-T	RELAY 2A 6NO 2NC



MISC.

PA22	SHUNT ASSY., 7-1/4" (6-3/4" CTRS) (M-429)
PA32	SPRING, 3/4 IN. LG. (K-168)
PN-950-B	RECTIFIER
PN-1159-A	ROLLER GUIDE WHEEL 5 IN
PN-1159-B	PAYNE ROLLER GUIDE WHEEL (U)
PN-1159-C	ROLLER GUIDE WHEEL 7" M-1
PN-1159-D	PAYNE ROLLER GUIDE WHEEL 7"
PN-902-A	ROLLER GUIDE WHEEL 3" O
PN-180-A	TAPE GUIDE K7981
PN-904-C	WORM SHAFT SEAL 400
PN-904-D	SPACER #K6095-4 400 M
PN-904-F	GASKET #K6678 400 MA
PN-904-G	SEAL #K6088 400 MACHI
PN-904-J	SEAL #K6675 400 MACH

PUSHBUTTONS & SWITCHES

PN-2052-A1	P.B. ASSY MARKED 10
PN-2052-A2	PB ASSY MARKED 2 (M-2366)
PN-2052-AL	PB ASSY MARKED L (M-2366)
PN-2052B-10	BUTTON MARKED "10"
PN-2052-C	PB DOOR CLOSE
PN-2052-N	P.B. ASSY MARKED 4
PN-2101-A	STOP SWITCH
PN-2101-AR	PUSH BUTTON ASSY/ARROW
PN-2101-E	SWITCH, KEYED 6304
PN-2101-X3	EMERGENCY STOP SWITCH
PN-932-A1	KEY SW. KEYED-6304
PN-1065-A	KEY 6304
PN-1065-F	KEYS, ACE, #6306
PN-932-J	PB ASSY - BLANK M-2366
PN-1067-A	LAMP-NEON 220V M-2751

PN-2052-A2




Peele

MOTORS, GEARS, PINIONS & SPROCKETS	
PL-1293-B	MOTOR 033050
PL-2263-B	MOTOR ASSM 058730
PL-2263-C	MOTOR ASSM 056910
PL-2263-K	MOTOR ASSM 251721
PL-2263-K1	GATE MOTOR W/ PINION
PL-2263-R	TORQ MOTOR W/PINION 25182
PL-1575-A1	PULLE GEAR & SHEAVE
PL-1575-B	MOTOR PINION 250723
PL-1575-T	SPROCKET
PL-915-F	GEAR & SHEAVE ASSY



PL-2263-B



PL-1575-T



PL-902-H7

CONTACTS, INTERLOCKS & SWITCHES	
PL-902-A1	CONTACT POINT ASSM 035508
PL-902-F4	TOP COVER FOR 2356-67 INT'LOCK
PL-902-H7	INTERLOCK PEELE #2356-67R
PL-902-L6	GATE SWITCH KIT
PL-902-P5	STATIONARY CONTACT
PL-902-P8	MOVABLE CONTACT ARM
PL-902-R	BAR, CONTACT SUB-ASSM
PL-945-J	GATE SWITCH
PL-960-G	MICRO SWITCH
PL-960-H	SWITCH,MICRO

LINKAGE	
PL-1066-B	#50 CONN. LINK
PL-1066-L	PIECE CHAIN 01807
PL-902-A6	HOOK LATCH ASSY.
PL-902-B6	LOCKING ARM RATCHET
PL-902-B7	KEEPER HOOK
PL-902-C9	ROLLER & SHAFT 2" 03557
PL-902-I	LATCH COVER
PL-902-N	RATCHET, LOCKING ARM
PL-902-P	KEEPER HOOK
PL-902-R1	LATCH BASE LH
PL-902-R2	EMER. REL. LOCK & CHAIN



PL-1172-M

RELAYS & TIMERS	
PL-960-X	RELAY
PL-1172-F	TIMER #276708 30-SEC.
PL-1172-H	TIMER 0.4-4.0 SEC VA
PL-1172-L	TIMER 079066 180 SEC.
PL-1172-M	TIMER,120VAC
PL-960-A9	RELAY BASE (SOCKET) #07644



PL-960-A9

MISC.	
PL-1065-A	KEY 035025
PL-1065-B	KEY 03932
PL-112700	PRIMARY FUSE KIT FOR TA-2-
PL-1127-A	STRAPS 54 INCH
PL-1127-B	36" STRAP
PL-1127-C	12" PULL STRAP
PL-1127-E	PULL STRAP
PL-600-A	SPRING 03457
PL-870-A	V BELT AX53
PL-915-B	BEARING SHAFT 05696
PL-946-F	SHEAVE ASSY
PL-948-C	GUIDE, DOOR
PL-948-D	GUIDE SHOE
PL-948-E	SHOE, GUIDE
PL-948-J	DOOR SHOE
PL-948-L	GUIDE SHOE KIT W/BOLTS 023
PL-949-A4	SILL STOP ASSEMBLY RH
PL-949-F	STOP, SILL
PL-949-P	PEELLE DOOR ADJ.ANGLE
PL-949-V	SILL STOP ASSY.



PL-902-C9



PL-902-N

PL-902-B6



PL-902-B7

PL-902-P



PL-902-R2

Reliance

BRUSHES & HOLDERS	
RL-1018-A1	BRUSH, GRADE 5410 STYLE 2QP3
RL-1018-A2	BRUSH GRADE N6000, 61041072
RL-1018-AX	BRUSH, 61000528, GRADE SA454
RL-1018-AX	BRUSH, 61000528, GRADE SA454
RL-1018-AXL	BRUSH, ADV CARBON L-0112 21T1
RL-1018-B	BRUSH,GENERATOR, 61000667
RL-1018-CX	BRUSH, SPLIT GENERATOR, 6100
RL-1018-D	BRUSH, 63000945, GRADE SA45
RL-1018-H	BRUSH, SPLIT, 61000883
RL-1018-I	BRUSH, 61000601, GRADE SA45
RL-1018-JX	BRUSH, 61000530, GRADE SA454
RL-1018-K	BRUSH 61000616 GRADE SA454
RL-1018-K1	BRUSH, .437X1.50X2,SA4548 (6 21T
RL-1018-KX	BRUSH, 61000355, GRADE SA454
RL-1018-M	BRUSH, 61001438, GRADE SA45
RL-1018-S	BRUSH, 61000410, GRADE SA45
RL-1018-TX3	BRUSH, 61040273,N5000
RL-1018-W	BRUSH, 13-371021, GRADE 5410
RL-1230-A	HOLDER, BRUSH
RL-1230-B	HOLDER, BRUSH
RL-1230-C	BRUSH HOLDER 74732R
RL-1230-JX	BRUSH HOLDER
RL-1230-KX	BRUSH HOLDER, NLA 6/00
RL-1230-R	BRUSH HOLDER WITH ADAPTER 3#




RL-1018-A1



RL-1018-A2



RL-1018-AX




RL-1230-A



RL-1230-JX



RL-1230-B



RL-1600-P

PRINTED CIRCUIT BOARDS	
RL-1600-C	SCR MOTHER BOARD
RL-1600-D	REL HEATSINK-SCR DC DRIVE 41
RL-1600-P	SIGNAL INTERFACE BOARD O-58705
RL-1600-T	REGULATOR BOARD O-56929-120A
RL-1600-X	DRIVER INTERFACE BOARD O-58704 D

MISC.	
RL-1600-M	PLASTIC GUIDE
RL-1600-Z	TRANSDUCER 600595-8A
RL-2263-10	BEARING, BALL
RL-2263-3	BEARING, ROLLER
RL-2263-4	BEARING ASSM COMMUTATOR EN
RL-2263-5	BEARING ASSM OUTPUT SHFT EN
RL-2263-6	BEARING, BALL
RL-2263-A1	BRUSH RING ASSEMBLY
RL-2263-C7	RELIANCE TACH COUPLING
RL-2263-D2	BEARING Reliance MG 416821-2
RL-2263-D9	DOOR MOTOR

Texacone

Westinghouse Kit AT1K005



A patented blend of oil-resistant compounds insures long life without the risk of common "rubber breakdown."

Unique "wavy" split design for quick and easy installation without disconnecting the motor from the geared unit.

Low friction from special baked-on finish prevents shaft scoring and damage from high temperatures.

For Westinghouse seals:


All motors listed as "gear center" are also known as "out-board" or "A" stand.

Seals described as "sheave" are gear-case-to-sheave seals that are approximately 1/8"-thick rubber.

Kits include sheave and seals for worm and gear motors.

ARMOR SEALS

Adams part no.	Machine	Dimensions		
		Shaft dia.	Bore dia.	Thick
AT1R012	#3 fin	1.938"	2.875"	1.266"
AT1R020	#4	2.000"	3.000"	.500"
AT1R059	#2	1.750"	2.750"	.828"
AT1R081	#5	2.750"	3.750"	.500"



KRAMM PACKING

GPX100 Kramm packing is a one-size-fits-all GCI worm-gear packing. Not recommended for machines with excessive end play & shaft vibration. For gaps 1.5" or greater.

DOVER SEALS

Adams part no.	Machine	Dimensions			Dover part no.
		Shaft dia.	Bore dia.	Thick	
AT1R002	GD200,240 worm	2.345"	3.220"	.500"	9752122
AT1R043	GD45,50,75 worm	1.749"	2.650"	.500"	9752110
AT1R048	GD105 inner	4.500"	5.500"	.500"	9727346
AT5E004	GD105, spider	7.125"	8.625"	—	9825526
AT5E005	GD240, spider	8.500"	10.250"	—	9824479
AT5E006	GD45, spider	5.125"	7.000"	—	9767897

OTIS SEALS

Adams part no.	Machine	Dimensions			Otis part no.
		Shaft dia.	Bore dia.	Thick	
AT1R019	#29	3.000"	4.500"	.500"	33D26
AT1R020	#22	2.000"	3.000"	.500"	33D29
AT1R021	#22 old	2.000"	3.250"	.500"	—
AT1R079	#17	1.938"	2.875"	.313"	33AA1
AT1R105	—	5.313"	6.250"	.500"	33D20

WESTINGHOUSE SEALS

Adams part no.	Machine	Dimensions			West. part no.
		Shaft dia.	Bore dia.	Thick	
AT1R004	#38 hoist, worm	3.125"	4.250"	.500"	X30ES1H20
AT1R005	#57 hoist, #58 old, and #61 worm	3.240"	4.250"	.688"	X30ES1H09
AT1R006	#37 worm shaft	2.438"	3.438"	.500"	R7311H17
AT1R007	#18 worm shaft	1.750"	3.188"	.500"	X30ES1H13
AT1R022	#28 gear center	3.688"	4.750"	.500"	X30ES1H15
AT1R031	#38 gear center, #31 worm	4.000"	5.000"	.688"	R7311H25
AT1R050	#18 gear center	2.563"	3.750"	.500"	X30ES1H12
AT1R048	#38 gear center*	4.500"	5.500"	.500"	X30ES1H18
AT1M057	#38 sheave	9.750"	11.30"	—	2890C79H01
AT1M130	#28 sheave	8.125"	9.250"	—	6917C89H01
AT1M139	#18 sheave	6.855"	8.500"	—	6918C45H01
AT1K004	#38 machine kit	—	—	—	2900C27G02
AT1K005	#28 machine kit	—	—	—	6917C91G02
AT1K006	#18 machine kit	—	—	—	6918C44G02

*AT1R048 is for #38 machines, type 198C267; for type 534F909, order part no. AT1R031.

OTHER MANUFACTURERS' SEALS

Adams part no.	OEM/machine	Dimensions		
		Shaft dia.	Bore dia.	Thick
AT1R052	H & W #63	2.188"	3.000"	.375"
AT1R079	H & W #53	1.938"	2.875"	.313"
AT1R017	Park	1.938"	3.188"	.375"
AT1R100	Payne #400	2.500"	3.500"	.625"
AT1R027	U.S Elevator	2.125"	3.188"	.500"
AT1R081	Haughton EK,EKU	2.750"	3.750"	.500"

KRAMM PACKING: ONE-SIZE-FITS-ALL GCI WORM GEAR PACKING

Made from solid mineral lubricants, graphite, & adhesives.



Adams part no. GPX100. One lb./pkg.

U.S. Elevator

PRINTED CIRCUIT BOARDS	
UE-1500-A	PHOTO CELL AMP
UE-1600-A2	TIMER
UE-1600-A3	PCB ADAPTER
UE-1600-A4	A-2 COMPUTER BOARD
UE-1600-A7	A4 INTERFACE BD.
UE-1600-C1	PLUG IN TIMER, PCB
UE-1600-C4	PCB
UE-1600-E	SOLID STATE DRIVE SSD1
UE-1600-E7	PI GONG BOARD
UE-1600-F	PCB ASSY HYDRO BRD #1
UE-1600-F3	POWER RELAY PCB 146-0526
UE-1600-G	PCB ASSY HYDRO BRD #2
UE-1600-H2	OUTPUT LATCH PC BOARD 146-
UE-1600-H6	INPUT BUFFER BOARD 146-052
UE-1600-H9	ADAPTER
UE-1600-J4	DRIVER INTERFACE BOARD
UE-1600-K	CAR TOP AMP PCB W/O NUD
UE-1600-N	SENSOR RECEIVER
UE-1600-N1	CAR TOP MOTHER BOARD 146-05
UE-1600-R	SR-1 RECTIFIER PCB
UE-1600-R6	POWER/RELAY PC BOARD 146-0
UE-1600-S	SR-2 RECTIFIER PCB

MISC.	
UE-1172-K	.5-5 SEC TIMER
UE-1600-T	TIMER .5-5 SEC. 145-05064-3
UE-1600-V	TIMER 145-05064-302 (ADAP UE
UE-950-D	BRIDGE, DC 3 PHASE
UE-900-D	6" ROLLER GUIDE ASSB W/ 5 1/2" MTG CENTERS
UE-900-F1	6" ROLLER GUIDE ASSB W/ 8 1/4" MTG CENTERS
UE-900-F2	ADAPTER PLT W/ 8 1/4" CENTERS USED ON UE-900-F1
UE-900-F	6" ROLLERGUIDE WHEEL(USED ON UE-900-F1)
UE-900-H	ROLLER GUIDE WHEEL 3-1/4"
UE-900-L	ROLLER GUIDE BOLT & BUSHING
UE-925-B	WHEEL ASS'Y.
UE-925-E	RING RETAINER



UE-900-D



UE-2000-A1

UE-2002-A1



UE-2003-F

UE-932-X



UE-1500-A

UE-900-H

PUSHBUTTONS & SWITCHES

UE-2000-A1	PB INSERT SQ "1"	UE-932-W	SQUARE PB BODY WHITE
UE-2000-A2	PB INSERT SQ "2"	UE-932-X	PB ASSY
UE-2000-A3	PB INSERT SQ "3"	UE-935-A1	BEZEL
UE-2000-A4	PB INSERT SQ "4"	UE-935-A2	BEZEL RETAINER
UE-2000-A5	PB INSERT SQ "5"	UE-935-B	GREEN ARROW - HALL BUTTON, S
UE-2000-AR1	PB INSERT SQ GREEN ARROW UP	UE-935-C	RED ARROW - HALL BUTTON, SQ
UE-2000-AR2	PB INSERT SQ RED ARROW DOWN	UE-935-C2	P.I. BLANK JEWEL W/LED
UE-2000-X23	PB,INSERT SQ, ALARM	UE-935-F	EXTRUD. PLASTIC ARROW
UE-2002-A1	PB,INSERT RD, 1	UE-935-L	PB LAMP SOCKET
UE-2002-A18	PB,INSERT RD, G	UE-935-M	RED LENS
UE-2002-A2	PB,INSERT RD, 2	UE-935-N	ARROW INSERT, RED
UE-2002-A22	PB,INSERT RD, GREEN UP ARROW	UE-935-R	P.I.ASSM.SINGLE HORZL.
UE-2002-A3	PB,INSERT RD, 3	US450L	LAMP SOCKET ROUND
UE-2002-A4	PB,INSERT RD, 4	US450M	MICRO SWITCH RO
UE-2002-A5	PB,INSERT RD, 5	US450R-6	INSERT ROUND - #6
UE-2002-C	PB HOUSING ROUND	US450RA	BTN ASY-RND UP ARROW
UE-2002-E	ROUND PB BODY WHITE	US450R-AD	INSERT ROUND - ARROW DOWN
UE-2002-F	PB LENS ASSM, ROUND	US450R-AU	INSERT ROUND - ARROW UP
UE-2002-H	CLAMP	US450R-BL	INSERT ROUND - BLANK
UE-2003-C	PB ASSM. (MARKED "1")	US450R-DC	INSERT ROUND - DOOR CLOSE
UE-2003-E	PB ASSM. (MARKED "2")	US450R-DO	INSERT ROUND - DOOR OPEN
UE-2003-F	PB ASSM (MARKED "3")	US450R-L	INSERT ROUND - L
UE-2003-H	PB ASSM (MARKED "4")	US450S-B	INSERT SQUARE - B
UE-2003-M	PB ASSM. MKD OPEN DOOR	US450S-BL	INSERT SQUARE-BLANK
UE-932-C9	SW. LOCKING PLATE	US450S-DC	INSERT SQUARE-DOOR CLOSE
UE-932-E	PB--4	US450S-DO	INSERT SQUARE-DOOR OPEN
UE-932-F5	FIRE SERVICE KEY SWITCH HALL	US450S-G	INSERT SQUARE - G
UE-932-F8	FIRE SERVICE KEY SWITCH ROUND HALL	US451P1	B-TAG, WHITE, #1
UE-932-R	LENS CAP	US451P-R	B-TAG, WHITE, R
UE-932-V	SQUARE P.B.BLK HOUSING	US451P-XB	B-TAG, WHITE, *B